

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:47 pm

PWS ID: UTAH24004 **Name:** MAESER IMPROVEMENT DISTRICT

Legal Contact: MAESER IMPROVEMENT DISTRXX **Rating:** Approved
DUSTIN C MCCORMICK **Rating Date:** 05/22/1990

Address: PO BOX 90 **Activity Status:** Active
VERNAL, UT 84078

Phone Number: 435-789-2353

City Served (Area):

County: UINTAH COUNTY

System Type: Community **Last Inv Update:** 04/05/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 10/27/2009 **Total Dsgn Cap:**

Population: 3,020 **Surveyor:** ROBERT HART **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
3	Routine	Monthly	01/01/1991		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

	Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH24004 DISTRIBUTION SYSTEM			Activity Status: A	Sample Label: UTAH24004	DS001
	Lead & Copper	10	Routine	3 Years	2008	06/01-09/30 2011
WS002	PAINTED HILLS WELL			Activity Status: A	Sample Label: UTAH24004	WS002 WS002
	NITRATE	1	Routine	Year	03/23/2011	01/01/2012-12/31/2012
	Inorg & Metals	1	Routine	3 Years	03/23/2011	01/01/2014-12/31/2016
	Sodium,Sulfate,TDS	1	Routine	3 Years	03/23/2011	01/01/2014-12/31/2016
	RRAD	1	Routine	Quarter	03/23/2011	04/01/2011-06/30/2011
	Volatile Organics	1	Routine	Year	03/23/2011	01/01/2012-12/31/2012
	Pesticides	1	Routine	3 Years	03/23/2011	01/01/2014-12/31/2016